

EU

Safety data sheet according to 1907/2006/EC, Article 31 Printing date 26.10.2023 Version number 7 (replaces version 6) Revision: 26.10.2023 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product identifier · Trade name: **Darkener Super** · Article number: 10939, 10940, 10941, 10942, 10943, 10944, 10994 M1J8-KHEQ-701T-NVC4 · UFI: · 1.2 Relevant identified uses of the substance or mixture and No further relevant information available. uses advised against · Application of the substance / the mixture Protective impregnation · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-642960 Fax. +49(0)911-644456 Lechstrasse 28 D 90451 Nürnberg e-mail info@akemi.de · Further information obtainable from: Laboratory 1.4 Emergency telephone number: Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-64296-59 Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m. Friday from 07:30 a.m. to 13:30 p.m. **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 3 H226 Flammable liquid and vapour. Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS08 GHS09 · Signal word Danger · Hazard-determining components of labelling: 2,2,4,6,6-pentamethylheptan Hydrocarbons, C10-C12, Isoalkanes, <2% aromatics H226 Flammable liquid and vapour. Hazard statements H304 May be fatal if swallowed and enters airways. H411 Toxic to aquatic life with long lasting effects. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. Read carefully and follow all instructions. P103 Keep away from heat, hot surfaces, sparks, open flames and other P210 ignition sources. No smoking. P260 Do not breathe mist/vapours/spray. P273 Avoid release to the environment. P280 Wear protective gloves. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting. (Contd. on page 2)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.10.2023 Version number 7 (replaces version 6) Revision: 26.10.2023 Trade name: Darkener Super (Contd. of page 1) P302+P352 IF ON SKIN: Wash with plenty of water. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. · Additional information: EUH066 Repeated exposure may cause skin dryness or cracking. · 2.3 Other hazards · Results of PBT and vPvB assessment Not applicable. · PBT: · vPvB: Not applicable. · Determination of endocrinedisrupting properties For information on endocrine disrupting properties see section 11. **SECTION 3: Composition/information on ingredients** · 3.2 Mixtures · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: CAS: 13475-82-6 25-50% 2,2,4,6,6-pentamethylheptan EINECS: 236-757-0 Flam. Liq. 3, H226 Reg.nr.: 01-2119490725-29 Asp. Tox. 1, H304 Aquatic Chronic 4, H413 EÚH066 EC number: 923-037-2 Hydrocarbons, C10-C12, Isoalkanes, <2% aromatics 25-50% Flam. Liq. 3, H226 Asp. Tox. 1, H304 Reg.nr.: 01-2119471991-29-xxxx Aquatic Chronic 2, H411 CAS: 68909-20-6 silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with 1-5% EINECS: 272-697-1 silica Index number: 014-052-00-7 STOT RE 2, H373 EUH066 CAS: 123-86-4 n-butyl acetate <1% Flam. Liq. 3, H226 STOT SE 3, H336 EINECS: 204-658-1 Index number: 607-025-00-1 EUH066 Reg.nr.: 01-2119485493-29 CAS: 67-56-1 <1% methanol EINECS: 200-659-6 Flam. Lig. 2, H225 Index number: 603-001-00-X Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT SE 1, H370 Reg.nr.: 01-2119433307-44 Specific concentration limits: STOT SE 1; H370:  $C \ge 10 \%$ STOT SE 2; H371: 3 %  $\leq$  C < 10 % · Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

. . . . .

. ..

4.1 Description of first aid measures	
· General information:	Take affected persons out into the fresh air.
	Position and transport stably in side position.
	Immediately remove any clothing soiled by the product.
<ul> <li>After inhalation:</li> </ul>	Supply fresh air; consult doctor in case of complaints.
· After skin contact:	If skin irritation continues, consult a doctor.
	Immediately wash with water and soap and rinse thoroughly.
· <u>After eye contact:</u>	Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)

EU



Page 3/13

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 7 (replaces version 6)

Revision: 26.10.2023

Printing date 26.10.2023	

Trade name: Darkener Super	

	(Contd. of page 2)
· After swallowing:	If symptoms persist consult doctor.
4.2 Most important symptoms	
and effects, both acute and	
delayed	Breathing difficulty
	Headache
	Dizziness
	Dizziness
	Nausea
· Hazards	Profuse sweating Danger of impaired breathing.
• 4.3 Indication of any immediate	Danger of imparied breathing.
medical attention and special	
treatment needed	If swallowed, gastric irrigation with added, activated carbon.
treatment needed	
SECTION 5: Firefighting measur	es
5.1 Extinguishing media	
· Suitable extinguishing agents:	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
<ul> <li>For safety reasons unsuitable</li> </ul>	
extinguishing agents:	Water with full jet
5.2 Special hazards arising from	
the substance or mixture	Formation of toxic gases is possible during heating or in case of fire.
	In case of fire, the following can be released:
	Carbon monoxide (CO)
	Under certain fire conditions, traces of other toxic gases cannot be excluded.
5.3 Advice for firefighters	
<ul> <li>Protective equipment:</li> </ul>	Do not inhale explosion gases or combustion gases.
	Wear fully protective suit.
	Wear self-contained respiratory protective device.
· Additional information	Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
	Collect contaminated fire fighting water separately. It must not enter the sewage

## **SECTION 6: Accidental release measures**

system.

• 6.1 Personal precautions, protective equipment and	
emergency procedures	Ensure adequate ventilation
<u></u>	Keep away from ignition sources.
	Use respiratory protective device against the effects of fumes/dust/aerosol.
	Wear protective equipment. Keep unprotected persons away.
• 6.2 Environmental precautions:	Do not allow product to reach sewage system or any water course.
	Inform respective authorities in case of seepage into water course or sewage
	system.
	Do not allow to enter sewers/ surface or ground water.
<u>6.3 Methods and material for</u>	
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal
	binders, sawdust).
	Dispose contaminated material as waste according to section 13.
	Ensure adequate ventilation.
6.4 Reference to other sections	See Section 7 for information on safe handling.
	See Section 8 for information on personal protection equipment.
	(Contd. on page 4)



# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 7 (replaces version 6)

Revision: 26.10.2023

FU

Printing date 26.10.2023

ade name: Darkener Super	
	(Contd. of page
	See Section 13 for disposal information.
SECTION 7: Handling and sto	rage
· 7.1 Precautions for safe	
handling	Store in cool, dry place in tightly closed receptacles.
	Keep away from heat and direct sunlight.
	Ensure good interior ventilation, especially at floor level. (Fumes are heavier tha air).
	Use only in well ventilated areas.
	Keep receptacles tightly sealed.
	Ensure good ventilation/exhaustion at the workplace.
<ul> <li>Information about fire - and</li> </ul>	Ŭ i
explosion protection:	Keep ignition sources away - Do not smoke.
	Protect against electrostatic charges.
· 7.2 Conditions for safe storag	e, including any incompatibilities
· Storage:	
· Requirements to be met by	
storerooms and receptacles:	Store only in the original receptacle.
	Prevent any seepage into the ground.
<ul> <li>Information about storage in one</li> </ul>	
common storage facility:	Store away from oxidising agents.
	Store away from foodstuffs.
<ul> <li>Further information about storage</li> </ul>	
conditions:	Store receptacle in a well ventilated area.
	Keep container tightly sealed.
· Storage class:	3
<ul> <li><u>7.3 Specific end use(s)</u></li> </ul>	No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

## · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:			
123-86-4 n-butyl acetate			
	IOELV Short-term value: 723 mg/m³, 150 ppm Long-term value: 241 mg/m³, 50 ppm		
67-56-1 r	nethanol		
	IOELV Long-term value: 260 mg/m³, 200 ppm Skin		
· DNELs			
123-86-4	n-butyl acetate		
Oral	Oral DNEL (Kurzzeit-akut) 2 mg/kg bw/day (BEV)		
	DNEL (Langzeit-wiederholt)	2 mg/kg bw/day (BEV)	
Dermal	DNEL (Kurzzeit-akut)	11 mg/kg bw/day (ARB)	
		6 mg/kg bw/day (BEV)	
	DNEL ( Langzeit-wiederholt) 7 mg/kg bw/day (ARB)		
	3.4 mg/kg bw/day (BEV)		
Inhalative	Inhalative DNEL (Kurzzeit-akut) 600 mg/m³ Air (ARB)		
		300 mg/m³ Air (BEV)	
DNEL (Langzeit-wiederholt) 300 mg/m³ Air (ARB)			
		35.7 mg/m³ Air (BEV)	
L		(Contd. on page 5)	



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023

Version number 7 (replaces version 6)

Revision: 26.10.2023

Tra	Trade name: Darkener Super				
					(Contd. of page 4)
	67-56-1 methanol				
	Oral	DNEL	(Kurzzeit-akut)	4 mg/kg bw/day (BEV)	
		DNEL	(Langzeit-wiederholt)	4 mg/kg bw/day (BEV)	
	Dermal	DNEL	(Kurzzeit-akut)	20 mg/kg bw/day (ARB)	
				4 mg/kg bw/day (BEV)	
		DNEL	(Langzeit-wiederholt)	20 mg/kg bw/day (ARB)	
				4 mg/kg bw/day (BEV)	
	Inhalative	DNEL	(Kurzzeit-akut)	130 mg/m³ Air (ARB)	
				26 mg/m³ Air (BEV)	
		DNEL	(Langzeit-wiederholt)	130 mg/m³ Air (ARB)	
				26 mg/m <sup>3</sup> Air (BEV)	
-	PNECs			1	
	123-86-4 r	n-buty	acetate		
		-	35.6 mg/l (KA)		
	X	0/	0.018 mg/l (MW)		
			0.18 mg/l (SW)		
			0.36 mg/l (WAS)		
	PNEC (fes	st)	0.0903 mg/kg Trocker	ngew (BO)	
	X	,	0.0981 mg/kg Trocker		
			0.981 mg/kg Trockeng		
	67-56-1 m	ethan			
			100 mg/l (KA)		
	- (	5/	2.08 mg/l (MW)		
			20.8 mg/l (SW)		
			1,540 mg/l (WAS)		
	PNEC (fes	st)	100 mg/kg Trockenge	w (BO)	
	- (	,	7.7 mg/kg Trockengev		
			77 mg/kg Trockengew		
·	Additional	inform		e lists valid during the making were used as basis.	
	8.2 Expos		ontrols		
				further data; see section 7.	
	Individual	protect	ion measures, such as	personal protective equipment	
			e and hygienic		
	measures:	-		not eat, drink, smoke or sniff while working. bly solvent resistant skin cream before starting work.	
				e skin protection cream for skin protection.	
				ep away from foodstuffs, beverages and feed.	
	Imr			nediately remove all soiled and contaminated clothing	
				sh hands before breaks and at the end of work.	
	Respirator	v nrote		not inhale gases / fumes / aerosols. er AX	
	Hand prote			ventive skin protection by use of skin-protecting agents is rec	ommended.
				er use of gloves apply skin-cleaning agents and skin cosmetic	
				۵. M	
Protective gloves					
				Skin protection agent recommendation for prevent without use of protective gloves:	ive skin shelter
				williour use of protective gloves.	(Contd. on page 6)



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023

Version number 7 (replaces version 6)

Revision: 26.10.2023

Trade name: Darkener Super	
	(Contd. of page 5)
	STOKODERM(http://www.stoko.com) Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves: STOKO EMULSION (http://www.stoko.com)
	Skin protection recommendation for skin cleaning after product handling: FRAPANTOL (http://www.stoko.com)
	Skin protection agent recommendation for skin aftercare: STOKO VITAN (http://www.stoko.com)
	The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL GmbH in
	compliance with EN374. This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell,
	internet: http://www.kcl.de). The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
· Material of gloves	Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Fluorocarbon rubber (Viton)
inaterial of gloves	Nitrile rubber, NBR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· Penetration time of glove material	Value for the permeation: Level $\leq 6$ , 480 min The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
For the permanent contact gloves     mode of the following materials are	
made of the following materials are suitable:	Fluorocarbon rubber (Viton) Vitoject (KCL, Art_No. 890) Nitrile rubber, NBR Camatril (KCL, Art_No. 730, 731, 732, 733)
• As protection from splashes gloves	; <u> </u>
made of the following materials are suitable:	Nitrile rubber, NBR Camatril (KCL, 730, 731, 732, 733)
<ul> <li>Not suitable are gloves made of the following materials:</li> </ul>	Leather gloves
· Eye/face protection	Strong material gloves
	Tightly sealed goggles
	(Contd. on page 7)



Page 7/13

· pH

## Safety data sheet

Printing date 26.10.2023

Revision: 26.10.2023

#### according to 1907/2006/EC, Article 31 Version number 7 (replaces version 6) Trade name: Darkener Super (Contd. of page 6) · Body protection: Protective work clothing **SECTION 9: Physical and chemical properties** • 9.1 Information on basic physical and chemical properties · General Information · Colour: Colourless · Odour: Characteristic · Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range 180 °C · Lower and upper explosion limit 0.6 Vol % · Lower: 7 Vol % · Upper: · Flash point: 44 °C · Auto-ignition temperature: 240 °C Not determined. Not applicable · Viscosity: · Kinematic viscosity at 20 °C 11 s (DIN 53211/4) Not determined. · Dynamic: · Solubility Not miscible or difficult to mix. · water: · Vapour pressure at 20 °C: 1 hPa · Density and/or relative density · Density at 20 °C: 0.85 g/cm<sup>3</sup> 9.2 Other information · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. Ignition temperature: Product is not selfigniting. · Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. · Solvent content: 59.9 % · Organic solvents: 29.8 % · Solids content: · Information with regard to physical hazard classes Void Explosives Void · Flammable gases · Aerosols Void Void Oxidising gases · Gases under pressure Void · Flammable liquids Flammable liquid and vapour. · Flammable solids Void · Self-reactive substances and mixtures Void Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void

· Substances and mixtures, which emit flammable gases in Void contact with water Oxidising liquids Void Void Oxidising solids Void Organic peroxides · Corrosive to metals Void (Contd. on page 8)

FU



Revision: 26.10.2023

Page 8/13

Printing date 26.10.2023

## Safety data sheet

according to 1907/2006/EC, Article 31 Version number 7 (replaces version 6)

Trade name: Darkener Super (Contd. of page 7) Void · Desensitised explosives SECTION 10: Stability and reactivity No further relevant information available. 10.1 Reactivity · 10.2 Chemical stability · Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. · 10.3 Possibility of hazardous Reacts with strong oxidising agents. reactions Forms flammable gases/fumes. · 10.4 Conditions to avoid No further relevant information available. No further relevant information available. · 10.5 Incompatible materials: 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide **SECTION 11: Toxicological information** 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Based on available data, the classification criteria are not met. · Acute toxicity · LD/LC50 values relevant for classification: ATE (Acute Toxicity Estimates) Oral LD50 51,546 mg/kg (rat) LD50 Dermal 154,639 mg/kg 13475-82-6 2,2,4,6,6-pentamethylheptan >5,000 mg/kg (rat) (OECD 401) Oral LD50 LD50 2,200-2,500 mg/kg (rabbit) (OECD 402) Dermal Inhalative LC50/8h >5 ppm (rat) LC50/48h >3,193 mg/l (daphnia magna) (ISO 14559) Hydrocarbons, C10-C12, Isoalkanes, <2% aromatics Oral LD50 >5,000 mg/kg (rat) (OECD 401) Dermal LD50 >5,000 mg/kg (rabbit) (OECD 402) Inhalative LC50/8h >5 mg/l (rat) LC50/48h >1,000 mg/l (daphnia magna) (OECD 202) 123-86-4 n-butyl acetate LD50 10,760 mg/kg (rat) (OECD 423) Oral Dermal LD50 >14,112 mg/kg (rabbit) (OECD 402) Inhalative LC50/4 h 23.4 mg/l (rat) (OECD 403) LC50 390 mg/m3 (rat) LC50/48h 64 mg/l (Brachydanio rerio) 67-56-1 methanol Oral LD50 100 mg/kg (rat) Dermal LD50 15,800 mg/kg (rabbit) 300 mg/kg (rat) Inhalative LC50/4 h 128.2 mg/l (rat) · Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. (Contd. on page 9) EU



Page 9/13

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.10.2023

Version number 7 (replaces version 6)

Revision: 26.10.2023

		(Contd. of page 8
Carcinogenio		
Reproductive		
STOT-single	exposureBased on available data, the classification criteria are not met.ted exposureBased on available data, the classification criteria are not met.	
Aspiration ha		
11.2 Informa	ition on other hazards	
Endocrine di	srupting properties	
None of the i	ngredients is listed.	
SECTION 12	: Ecological information	
12.1 Toxicity	L	
Aquatic toxic	ity:	
13475-82-6	2,2,4,6,6-pentamethylheptan	
IC50/72h	>1,000 mg/l (Pseudokirchneriella subcapitata)	
EC50/48h	>1,000 mg/l (daphnia magna)	
NOELR/72h	1,000 mg/l (Pseudokirchneriella subcapitata) (OECD201)	
NOELR/21d	0.02 mg/l (daphnia magna) (OECD 211)	
NOELR/28d	0.267 mg/l (Oncorhynchus mykiss) ((Q)SAR)	
EC50/72h	>1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
LC50/96h	>1,000 mg/l (Oncorhynchus mykiss) (OECD 203)	
Hydrocarbo	ns, C10-C12, Isoalkanes, <2% aromatics	
EL0/48h	1,000 mg/l (daphnia magna)	
EL0/72h	1,000 mg/l (Pseudokirchneriella subcapitata)	
LL0/96h	1,000 mg/l (Oncorhynchus mykiss)	
NOELR/72h	1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
NOELR/21d	<1 mg/l (daphnia magna) (OECD 211)	
NOELR/28d	0.192 mg/l (Oncorhynchus mykiss) ((Q)SAR)	
EC50/72h	>1,000 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
LC50/96h	>1,000 mg/l (Oncorhynchus mykiss) (OECD 203)	
123-86-4 n-b	utyl acetate	
EC50/24h	72.8 mg/l (daphnia magna) (DIN 38412)	
EC50/96h	320 mg/l (algae)	
LC50/24h	205 mg/l (daphnia magna)	
IC50/72h	648 mg/l (Desmodesmus subspicatus)	
EC10/18h	959 mg/l (pseudomonas putida)	
EC50/48h	44 mg/l (daphnia magna)	
EC50/16h	959 mg/l (pseudomonas putida)	
NOEC	200 mg/kg (Desmodesmus subspicatus)	
NOEC/21d	23 mg/l (daphnia magna) (OECD 211)	
EC50/72h	647.7 mg/l (Desmodesmus subspicatus) (Zellvermehrungshemmtest)	
_000, i Lii	674 mg/l (Scenedesmus subspicatus)	

674 mg/l (Scenedesmus subspicatus)

LC50/96h 62 mg/l (Danio rerio.)

81 mg/l (piscis)

100 mg/l (lepomis macrochirus) 62 mg/l (Leuciscus idus) (DIN 38412)

(Contd. on page 10)

EU



# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 7 (replaces version 6)

Revision: 26.10.2023

Printing date 26.10.2023

## Trade name: Darkener Super

		(Contd. of page 9)	
	18 mg/l (pimephales	promelas) (OECD 203)	
67-56-1 me	thanol		
EC50/96h	22,000 mg/l (Pseudo	kirchneriella subcapitata)	
IC50	>1,000 mg/l (BES)		
EC50/48h	>10,000 mg/l (daphn	ia magna)	
LC50/96h	13,500-17,600 mg/l (	lem)	
	19,500-20,700 mg/l (	Oncorhynchus mykiss)	
	28,200 mg/l (pimeph	ales promelas)	
· 12.2 Persis	tence and		
degradabili	ity	No further relevant information available.	
· 12.3 Bioaco	cumulative potential	No further relevant information available.	
12.4 Mobility in soil		No further relevant information available.	
12.5 Results of PBT and vPvB asse		ssessment	
· <u>PBT:</u>		Not applicable.	
· <u>vPvB:</u>		Not applicable.	
<ul> <li><u>12.6 Endoc</u></li> </ul>	rine disrupting		
properties T		The product does not contain substances with endocrine disrupting properties.	
12.7 Other	12.7 Other adverse effects		
· Additional e	· Additional ecological information:		
· General not	es:	Do not allow undiluted product or large quantities of it to reach ground water,	
		water course or sewage system.	
		Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water	

### **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· <u>European</u>	· European waste catalogue	
20 00 00 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS		
20 01 00	20 01 00 separately collected fractions (except 15 01)	
20 01 13*	20 01 13* solvents	
· Uncleaned packaging:		

Dicleaned packaging.

<ul> <li><u>Recommendation:</u></li> </ul>	Empty contaminated packagings thoroughly. They may be recycled after
	thorough and proper cleaning.
<ul> <li>Recommended cleansing agents:</li> </ul>	Alcohol

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3295
• <b>14.2 UN proper shipping name</b> • <u>ADR</u>	3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C10- C12, Isoalkanes, <2% aromatics, 2,2,4,6,6-pentamethylheptan), ENVIRONMENTALLY HAZARDOUS
	(Contd. on page 11)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.10.2023 Version number 7 (replaces version 6) Revision: 26.10.2023 Trade name: Darkener Super (Contd. of page 10) HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C10-C12, · IMDG Isoalkanes, <2% aromatics, 2,2,4,6,6-pentamethylheptan), MARINE POLLUTANT HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C10-C12,  $\cdot$  IATA Isoalkanes, <2% aromatics, 2,2,4,6,6-pentamethylheptan) · 14.3 Transport hazard class(es) · ADR Class 3 (F1) Flammable liquids. Label · IMDG 3 Flammable liquids. · Class · Label 3  $\cdot$  IATA · Class 3 Flammable liquids. · Label 3 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: Product contains environmentally hazardous substances: · Marine pollutant: Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) 14.6 Special precautions for user Warning: Flammable liquids. · Hazard identification number (Kemler code): 30 · EMS Number: F-E,S-D · Stowage Category А 14.7 Maritime transport in bulk according to IMO Not applicable. instruments · Transport/Additional information: · ADR · Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Transport category 3 · Tunnel restriction code D/E (Contd. on page 12) EU



EU

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.10.2023

Version number 7 (replaces version 6)

Revision: 26.10.2023

Trade name: Darkener Super

	(Contd. of page 11)	
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
· <u>UN "Model Regulation":</u>	UN 3295 HYDROCARBONS, LIQUID, N.O.S. (HYDROCARBONS, C10-C12, ISOALKANES, <2% AROMATICS, 2,2,4,6,6-PENTAMETHYLHEPTAN), 3, III, ENVIRONMENTALLY HAZARDOUS	
SECTION 15: Regulatory informa	tion	
	ental regulations/legislation specific for the substance or mixture	
Directive 2012/18/EU     Named dangerous substances -     ANNEX I     Seveso category	None of the ingredients is listed. E2 Hazardous to the Aquatic Environment	
• Qualifying quantity (tonnes) for the application of lower-tier requirements • Qualifying quantity (tonnes) for the	P5c FLAMMABLE LIQUIDS 200 t	
application of upper-tier requirements REGULATION (EC) No 1907/2006 ANNEX XVII	500 t Conditions of restriction: 3, 69	
<ul> <li>DIRECTIVE 2011/65/EU on the res equipment – Annex II</li> </ul>	striction of the use of certain hazardous substances in electrical and electronic	
None of the ingredients is listed.		
• REGULATION (EU) 2019/1148		
<ul> <li>Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))</li> </ul>		
None of the ingredients is listed.		
· Annex II - REPORTABLE EXPLOSIVES PRECURSORS		
None of the ingredients is listed.		
· Regulation (EC) No 273/2004 on drug precursors		
None of the ingredients is listed.		
<u>Regulation (EC) No 111/2005 layin</u> <u>countries in drug precursors</u> None of the ingredients is listed.	g down rules for the monitoring of trade between the Community and third	
<ul> <li><u>National regulations:</u></li> <li><u>Information about limitation of use:</u></li> </ul>	Employment restrictions concerning juveniles must be observed. Employment restrictions concerning pregnant and lactating women must be observed.	
· Waterhazard class:	Water hazard class 1 (Self-assessment): slightly hazardous for water.	
Substances of very high concern (SVHC) according to REACH, Article 57		
None of the ingredients is listed.	500.4 //	
· <u>VOC EU</u>	506.1 g/l (Contd. on page 13)	



Page 13/13

## Safety data sheet

according to 1907/2006/EC, Article 31

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

Asp. Tox. 1: Aspiration hazard - Category 1

Revision: 26.10.2023

(Contd. of page 12)

EU

Printing date 26.10.2023 Version number 7 (replaces version 6) Trade name: Darkener Super 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **SECTION 16: Other information** This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878. This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Laboratory · Date of previous version: 20.10.2023 · Version number of previous version: 6 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de Abbreviations and acronyms: fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (RÈACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity - Category 3 STOT SE 1: Specific target organ toxicity (single exposure) - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3