

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 24.01.2024

Version number 3 (replaces version 2)

Revision: 24.01.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

- Trade name: **Rust Remover Marble**
- Article number: 10899, 11048, 11049, 10796, 10797
- UFI: 7VRP-4DEM-S01G-4R9G

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

#### Application of the substance / the mixture

Cleaning agent/ Cleaner

#### 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH  
Lechstrasse 28  
D 90451 Nürnberg
- Tel. +49(0)911-642960  
Fax. +49(0)911-644456  
e-mail info@akemi.de

#### Further information obtainable from:

Laboratory

#### 1.4 Emergency telephone number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH  
Tel. +49(0)911-64296-59  
Reachable during the following office hours:  
Monday – Thursday from 07:30 a.m. to 16:30 p.m.  
Friday from 07:30 a.m. to 13:30 p.m.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.

#### 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07

#### Signal word

Warning

#### Hazard-determining components of labelling:

sodium mercaptoacetate  
2-methyl-2H-isothiazol-3-one

#### Hazard statements

H302 Harmful if swallowed.  
H317 May cause an allergic skin reaction.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.  
P261 Avoid breathing mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.01.2024

Version number 3 (replaces version 2)

Revision: 24.01.2024

**Trade name: Rust Remover Marble**

(Contd. of page 1)

**2.3 Other hazards**

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· Determination of endocrine-disrupting properties

For information on endocrine disrupting properties see section 11.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures**

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 367-51-1 EINECS: 206-696-4 Reg.nr.: 01-2119968564-24	sodium mercaptoacetate Acute Tox. 3, H301; Acute Tox. 3, H311 Met. Corr. 1, H290 Skin Sens. 1, H317	12.5-25%
CAS: 7664-41-7 EINECS: 231-635-3 Index number: 007-001-00-5 Reg.nr.: 01-2119488876-14	ammonia, anhydrous Acute Tox. 3, H331 Skin Corr. 1B, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 2, H411 Flam. Gas 2, H221; Press. Gas (Comp.), H280 EUH071	<1%
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9 Reg.nr.: 01-2120764690-50	2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 Skin Corr. 1B, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1) Skin Sens. 1A, H317; STOT SE 3, H335 EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<1%

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

perfumes ((R)-p-mentha-1,8-diene), preservation agents (BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE) &lt;5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Call for a doctor immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

Gastric or intestinal disorders

Acidosis

(Contd. on page 3)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.01.2024

Version number 3 (replaces version 2)

Revision: 24.01.2024

**Trade name: Rust Remover Marble**

(Contd. of page 2)

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· Suitable extinguishing agents:

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **5.3 Advice for firefighters**

· Protective equipment:

Do not inhale explosion gases or combustion gases.  
Mount respiratory protective device.

### SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Particular danger of slipping on leaked/spilled product.  
Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Keep receptacles tightly sealed.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.

· Information about fire - and explosion protection:

No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· Storage:

· Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

· Information about storage in one common storage facility:

Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.

· Further information about storage conditions:

Protect from frost.

· Storage class:

8 B

(Contd. on page 4)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.01.2024

Version number 3 (replaces version 2)

Revision: 24.01.2024

**Trade name: Rust Remover Marble**

(Contd. of page 3)

· **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### **7664-41-7 ammonia, anhydrous**

IOELV	Short-term value: 36 mg/m <sup>3</sup> , 50 ppm
	Long-term value: 14 mg/m <sup>3</sup> , 20 ppm

· DNELs

#### **367-51-1 sodium mercaptoacetate**

Dermal	DNEL ( Langzeit-wiederholt)	2.06 mg/kg bw/day (ARB)
Inhalative	DNEL (Langzeit-wiederholt)	1.41 mg/m <sup>3</sup> Air (ARB)

#### **7664-41-7 ammonia, anhydrous**

Oral	DNEL (Kurzzeit-akut)	6.8 mg/kg bw/day (BEV)
	DNEL (Langzeit-wiederholt)	6.8 mg/kg bw/day (BEV)
Dermal	DNEL (Kurzzeit-akut)	6.8 mg/kg bw/day (ARB)
	DNEL ( Langzeit-wiederholt)	6.8 mg/kg bw/day (ARB)
Inhalative	DNEL (Kurzzeit-akut)	36-47.6 mg/m <sup>3</sup> Air (ARB)
		7.2-23.8 mg/m <sup>3</sup> Air (BEV)
	DNEL (Langzeit-wiederholt)	14-47.6 mg/m <sup>3</sup> Air (ARB)
		2.8-23.8 mg/m <sup>3</sup> Air (BEV)

· PNECs

#### **367-51-1 sodium mercaptoacetate**

PNEC (wässrig)	0.0038 mg/l (MW)
	0.038 mg/l (SW)

#### **7664-41-7 ammonia, anhydrous**

PNEC (wässrig)	0.00135 mg/l (MW)
	0.00135 mg/l (SW)
	0.0083 mg/l (WAS)
PNEC (fest)	0.0221 mg/kg Trockengew (BO)

· Additional information: The lists valid during the making were used as basis.

#### · **8.2 Exposure controls**

· Appropriate engineering controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.  
 Use skin protection cream for skin protection.  
 Clean skin thoroughly immediately after handling the product.  
 Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing  
 Wash hands before breaks and at the end of work.  
 Do not inhale gases / fumes / aerosols.

· Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection Preventive skin protection by use of skin-protecting agents is recommended.

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 24.01.2024

Version number 3 (replaces version 2)

Revision: 24.01.2024

**Trade name: Rust Remover Marble**

(Contd. of page 4)

After use of gloves apply skin-cleaning agents and skin cosmetics.  
Skin protection agent recommendation for preventive skin shelter without use of protective gloves:

STOKODERM (<http://www.stoko.com>)

Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:

STOKO EMULSION (<http://www.stoko.com>)

Skin protection recommendation for skin cleaning after product handling:

FRAPANTOL (<http://www.stoko.com>)

Skin protection agent recommendation for skin aftercare:

STOKO VITAN (<http://www.stoko.com>)

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory analyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: <http://www.kcl.de>).

**Protective gloves**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**· Material of gloves**

Butyl rubber, BR  
Nitrile rubber, NBR  
Fluorocarbon rubber (Viton)  
Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material**

Value for the permeation: Level  $\leq$  6; 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· For the permanent contact gloves made of the following materials are suitable:**

Butyl rubber, BR  
Butoject (KCL, Art\_No. 897, 898)  
Nitrile rubber, NBR  
Camatril (KCL, Art\_No. 730, 731, 732, 733)  
Fluorocarbon rubber (Viton)  
Vitoject (KCL, Art\_No. 890)  
Chloroprene rubber, CR  
Camapren (KCL, Art\_No. 720, 722, 726)

(Contd. on page 6)

EU

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.01.2024

Version number 3 (replaces version 2)

Revision: 24.01.2024

**Trade name: Rust Remover Marble**

(Contd. of page 5)

- As protection from splashes gloves made of the following materials are suitable:
  - Nitrile rubber, NBR
  - Camatril (KCL, 730, 731, 732, 733)
  - Chloroprene rubber, CR
  - Camapren (KCL, Art\_No. 720, 722, 726)
- Not suitable are gloves made of the following materials:
  - Leather gloves
  - Strong material gloves
- Eye/face protection
  - Goggles recommended during refilling
- Body protection:
  - Protective work clothing

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

- General Information
- Colour: Yellow-brown
- Odour: sulfidic
- Odour threshold: Not determined.
- Melting point/freezing point: Undetermined.
- Boiling point or initial boiling point and boiling range 100 °C
- Lower and upper explosion limit
- Lower: Not determined.
- Upper: Not determined.
- Flash point: Not applicable.
- Decomposition temperature: Not determined.
- pH at 20 °C 9
- Viscosity:
- Kinematic viscosity Not determined.
- Dynamic: Not determined.
- Solubility
- water: Fully miscible.
- Partition coefficient n-octanol/water (log value) Not determined.
- Vapour pressure at 20 °C: 23 hPa
- Density and/or relative density
- Density at 20 °C: 1.1 g/cm<sup>3</sup>
- Relative density Not determined.
- Vapour density Not determined.

**9.2 Other information**

- Appearance: No further relevant information available.
- Form: Liquid
- Important information on protection of health and environment, and on safety.
- Ignition temperature: Product is not selfigniting.
- Explosive properties: Product does not present an explosion hazard.
- Solvent content:
- Organic solvents: 0.0 %
- Water: 81.3 %
- Change in condition
- Evaporation rate Not determined.

Information with regard to physical hazard classes

- Explosives Void
- Flammable gases Void
- Aerosols Void

(Contd. on page 7)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.01.2024

Version number 3 (replaces version 2)

Revision: 24.01.2024

**Trade name: Rust Remover Marble**

(Contd. of page 6)

· <u>Oxidising gases</u>	Void
· <u>Gases under pressure</u>	Void
· <u>Flammable liquids</u>	Void
· <u>Flammable solids</u>	Void
· <u>Self-reactive substances and mixtures</u>	Void
· <u>Pyrophoric liquids</u>	Void
· <u>Pyrophoric solids</u>	Void
· <u>Self-heating substances and mixtures</u>	Void
· <u>Substances and mixtures, which emit flammable gases in contact with water</u>	Void
· <u>Oxidising liquids</u>	Void
· <u>Oxidising solids</u>	Void
· <u>Organic peroxides</u>	Void
· <u>Corrosive to metals</u>	Void
· <u>Desensitised explosives</u>	Void

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
  - Reacts with alkali and metals.
  - Reacts with strong oxidising agents.
  - Reacts with metals forming hydrogen.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
  - Phosphorus oxides (e.g. P<sub>2</sub>O<sub>5</sub>)
  - Irritant gases/vapours

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- Acute toxicity Harmful if swallowed.

· LD/LC50 values relevant for classification:**ATE (Acute Toxicity Estimates)**

Oral	LD50	272-1,090 mg/kg (rat)
Dermal	LD50	5,449-10,897 mg/kg (rat)

**367-51-1 sodium mercaptoacetate**

Oral	LD50	50-200 mg/kg (rat) (OECD 423)
	NOEL	75 mg/kg (rat) (OECD 414)
	NOAEL-Werte	20 mg/kg (rat) (OECD 421)
Dermal	LD50	1,000-2,000 mg/kg (rat)
	NOEL	≥65 mg/kg (rabbit)
		100 mg/kg (rat)
	LC50/48h	880 mg/l (Leuciscus idus) (DIn 38412/15)

**7664-41-7 ammonia, anhydrous**

Oral	LD50	350 mg/kg (rat)
------	------	-----------------

(Contd. on page 8)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.01.2024

Version number 3 (replaces version 2)

Revision: 24.01.2024

**Trade name: Rust Remover Marble**

(Contd. of page 7)

Inhalative	LC50/4 h	2,000 mg/l (rat)
	LC50/48h	101 mg/l (daphnia magna)
<b>2682-20-4 2-methyl-2H-isothiazol-3-one</b>		
Oral	LD50	120 mg/kg (rat)
Dermal	LD50	242 mg/kg (rat)
Inhalative	LC50/4 h	0.11 mg/l (rat)

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

- Endocrine disrupting properties

None of the ingredients is listed.

**SECTION 12: Ecological information****12.1 Toxicity**

- Aquatic toxicity:

**367-51-1 sodium mercaptoacetate**

EC50/48h	38 mg/l (daphnia magna) (Methode: 84/449/EWG)
EC50/72h	13 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
LC50/96h	>100 mg/l (Oncorhynchus mykiss) (OECD 203)

**7664-41-7 ammonia, anhydrous**

LC50	0.068 mg/l (piscis)
NOEC	0.79 mg/l (daphnia magna)
EC50/48h	25.4 mg/l (daphnia magna)

**2682-20-4 2-methyl-2H-isothiazol-3-one**

EC50	34.6 mg/l (BES) (DIN 38412-3)
EC50/48h	0.93-1.9 mg/l (daphnia magna)
ErC50/72h	0.1 mg/l (Skeletonema costatum ( Kieselalge))
EC50/16h	2.3 mg/l (pseudomonas putida)
EC20/3h	2.8 mg/l (BES) (DIN 38412-3)
NOEC/21d	0.04 mg/l (daphnia magna)
EC50/72h	0.157 mg/l (Pseudokirchneriella subcapitata)
LC50/96h	4.77-6 mg/l (Oncorhynchus mykiss)

**12.2 Persistence and degradability**

No further relevant information available.

**12.3 Bioaccumulative potential**

No further relevant information available.

**12.4 Mobility in soil**

No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

- PBT: Not applicable.

- vPvB: Not applicable.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 9)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.01.2024

Version number 3 (replaces version 2)

Revision: 24.01.2024

**Trade name: Rust Remover Marble**



(Contd. of page 8)

- **12.7 Other adverse effects** No further relevant information available.
- Additional ecological information:
- General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

- **14.1 UN number or ID number**
- ADR, IMDG, IATA UN1760
- **14.2 UN proper shipping name**
- ADR 1760 CORROSIVE LIQUID, N.O.S. (sodium mercaptoacetate)
- IMDG, IATA CORROSIVE LIQUID, N.O.S. (sodium mercaptoacetate)
- **14.3 Transport hazard class(es)**
- ADR
- 
- Class 8 (C9) Corrosive substances.
- Label 8
- IMDG, IATA
- 
- Class 8 Corrosive substances.
- Label 8
- **14.4 Packing group**
- ADR, IMDG, IATA III
- **14.5 Environmental hazards:**
- Marine pollutant: No
- **14.6 Special precautions for user** Warning: Corrosive substances.
- Hazard identification number (Kemler code): 80
- EMS Number: F-A,S-B
- Stowage Category A

(Contd. on page 10)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.01.2024

Version number 3 (replaces version 2)

Revision: 24.01.2024

**Trade name: Rust Remover Marble**

(Contd. of page 9)

· <u>Stowage Code</u>	SW2 Clear of living quarters.
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <u>Transport/Additional information:</u>	
· <u>ADR</u>	
· <u>Limited quantities (LQ)</u>	5L
· <u>Excepted quantities (EQ)</u>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <u>Transport category</u>	3
· <u>Tunnel restriction code</u>	E
· <u>IMDG</u>	
· <u>Limited quantities (LQ)</u>	5L
· <u>Excepted quantities (EQ)</u>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <u>UN "Model Regulation":</u>	UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM MERCAPTOACETATE), 8, III

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· VOC EU 4.1 g/l

(Contd. on page 11)

EU

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.01.2024

Version number 3 (replaces version 2)

Revision: 24.01.2024

**Trade name:** Rust Remover Marble

(Contd. of page 10)

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

\* **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Laboratory
- Date of previous version: 25.07.2022
- Version number of previous version: 2
- Abbreviations and acronyms:
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - DNEL: Derived No-Effect Level (REACH)
  - PNEC: Predicted No-Effect Concentration (REACH)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - SVHC: Substances of Very High Concern
  - vPvB: very Persistent and very Bioaccumulative
  - ATE: Acute toxicity estimate values
  - Flam. Gas 2: Flammable gases – Category 2
  - Press. Gas (Comp.): Gases under pressure – Compressed gas
  - Met. Corr. 1: Corrosive to metals – Category 1
  - Acute Tox. 3: Acute toxicity – Category 3
  - Acute Tox. 4: Acute toxicity – Category 4
  - Acute Tox. 2: Acute toxicity – Category 2
  - Skin Corr. 1B: Skin corrosion/irritation – Category 1B
  - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
  - Skin Sens. 1: Skin sensitisation – Category 1
  - Skin Sens. 1A: Skin sensitisation – Category 1A
  - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
  - Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
  - Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
  - Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

EU