Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

according to 1907/2006/EC, Article 31Printing date 29.08.2022Version number 4 (replaces version 3)

Quartz Clean & Care	
11950, 11951 CGQ1-G0SD-400N-XAHA	
No further relevant information available.	
safety data sheet AKEMI chemisch technische Spezialfabrik GmbH Lechstrasse 28 D 90451 Nürnberg	Tel. +49(0)911-64296 Fax. +49(0)911-64445 e-mail info@akemi.c
Laboratory	
Product Safety Department AKEMI chemisch techr Tel. +49(0)911-64296-59 Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m. Friday from 07:30 a.m. to 13:30 p.m.	nische Spezialfabrik GmbH
The product is classified and labelled according to	the CLP regulation.
GHS07	
Warning	
f Not applicable	
H319 Causes serious eye irritation. P101 If medical advice is needed, have	ve product container or label
hand. P102 Keep out of reach of children. P103 Read carefully and follow all inst	tructions.
P280 Wear eye protection / face prote P305+P351+P338 IF IN EYES: Rinse cautiously w Remove contact lenses, if pres	vith water for several minute
P280 Wear eye protection / face prote P305+P351+P338 IF IN EYES: Rinse cautiously w	vith water for several minutes sent and easy to do. Continu dical advice/attention.
P280Wear eye protection / face proteP305+P351+P338IF IN EYES: Rinse cautiously w Remove contact lenses, if pres rinsing.P337+P313If eye irritation persists: Get med	vith water for several minutes sent and easy to do. Continu dical advice/attention.
	No further relevant information available. Protective impregnation safety data sheet AKEMI chemisch technische Spezialfabrik GmbH Lechstrasse 28 D 90451 Nürnberg Laboratory Product Safety Department AKEMI chemisch techr Tel. +49(0)911-64296-59 Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m. Friday from 07:30 a.m. to 13:30 p.m. on ce or mixture on (EC) No 1272/2008 ye irritation. The product is classified and labelled according to GHS07 Warning Not applicable. H319 Causes serious eye irritation.

(Contd. on page 2)

AKEMI[®]

Revision: 29.08.2022



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

Trade name: Quartz Clean & Care

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

 Description 	· Description: Mixture of substances listed below with nonhazardous additions.		
· Dangerous	components:		
67-63-0	propan-2-ol	<12.5%	
	Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336		
2682-20-4	2-methyl-2H-isothiazol-3-one	<1%	
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 Skin Corr. 1B, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1) Skin Sens. 1A, H317; STOT SE 3, H335		
	EUH071		
Specific concentration limit: Skin Sens. 1A; H317: C \ge 0.0015 %			
 Regulation 	(EC) No 648/2004 on detergents / Labelling for contents		
	preservation agents (BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE), 4-te exyl acetate	rt- <5%	
· Additional i	nformation: For the wording of the listed hazard phrases refer to section 16.		

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:	No special measures required.
· After inhalation:	Supply fresh air; consult doctor in case of complaints.
· After skin contact:	Generally the product does not irritate the skin.
· After eye contact:	Rinse opened eye for several minutes under running water. Then consult a doctor.
· After swallowing:	If symptoms persist consult doctor.
• 4.2 Most important symptoms	
and effects, both acute and	
delayed	No further relevant information available.
• 4.3 Indication of any immediate	
medical attention and special treatment needed	No further relevant information available.

SECTION 5: Firefighting measures

<u>5.1 Extinguishing media</u>

· Suitable extinguishing agents:	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
• 5.2 Special hazards arising from	
the substance or mixture	No further relevant information available.
5.3 Advice for firefighters	
· Protective equipment:	No special measures required.

SECTION 6: Accidental release measures

<u>6.1 Personal precautions,</u> protective equipment and	
emergency procedures	Not required.
6.2 Environmental precautions:	Dilute with plenty of water.
	Do not allow to enter sewers/ surface or ground water.



Page 3/10

Safety data sheet

	20.08.2022	according to 1907/2006/EC, Article 31	
	29.08.2022	Version number 4 (replaces version 3)	Revision: 29.08.202
ade name:	Quartz Clean & Care		
. 6 2 Moth	ada and matarial for		(Contd. of page
• <u>6.3 Methods and material for</u> containment and cleaning up:		Absorb with liquid-binding material (sand, diato	omite acid binders univers
		binders, sawdust).	
6.4 Refer	ence to other sections	No dangerous substances are released.	
SECTION	l 7: Handling and storag	je	
	utions for safe		
handling	an about fina and	No special measures required.	
	on about fire - and protection:	No special measures required.	
	•	including any incompatibilities	
· Storage:	illons for sale storage,	including any incompatibilities	
	ents to be met by		
storeroom	ns and receptacles:	No special requirements.	
	on about storage in one	Not us suring al	
	storage facility: formation about storage	Not required.	
conditions		Protect from frost.	
· Storage c		10	
7.3 Speci	fic end use(s)	No further relevant information available.	
workplace	onitoring at the e:	The product does not contain any relevant quan values that have to be monitored at the workplace.	
· <u>DNELs</u>			
-	ropan-2-ol		
Oral	DNEL (Langzeit-wiederh		
		nolt) 26 mg/kg bw/day (BEV)	
Dermal		holt) 888 mg/kg bw/day (ARB)	
	DNEL (Langzeit-wieder	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV)	
		holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) holt) 500 mg/m³ Air (ARB)	
	DNEL (Langzeit-wieder	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV)	
Inhalative	DNEL (Langzeit-wieder DNEL (Langzeit-wiederh	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) holt) 500 mg/m³ Air (ARB)	
Inhalative • <u>PNECs</u> 67-63-0 p	DNEL (Langzeit-wieder DNEL (Langzeit-wiederł ropan-2-ol	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) holt) 500 mg/m³ Air (ARB)	
Inhalative • <u>PNECs</u> 67-63-0 p	DNEL (Langzeit-wieder DNEL (Langzeit-wiederh ropan-2-ol ässrig) 2,251 mg/l (KA)	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) holt) 500 mg/m³ Air (ARB)	
Inhalative • <u>PNECs</u> 67-63-0 p	DNEL (Langzeit-wieder DNEL (Langzeit-wiederł ropan-2-ol	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) holt) 500 mg/m³ Air (ARB)	
Inhalative • <u>PNECs</u> 67-63-0 p	DNEL (Langzeit-wieder DNEL (Langzeit-wiederh ropan-2-ol ässrig) 2,251 mg/l (KA)	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) holt) 500 mg/m³ Air (ARB)	
Inhalative • <u>PNECs</u> 67-63-0 p	DNEL (Langzeit-wieder DNEL (Langzeit-wiederh ropan-2-ol ässrig) 2,251 mg/l (KA) 140.9 mg/l (MW)	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) 500 mg/m³ Air (ARB) 89 mg/m³ Air (BEV)	
Inhalative • <u>PNECs</u> 67-63-0 p	DNEL (Langzeit-wieder DNEL (Langzeit-wiederh ropan-2-ol ässrig) 2,251 mg/l (KA) 140.9 mg/l (MW) 140.9 mg/l (SW) 140.9 mg/l (WAS)	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) 500 mg/m³ Air (ARB) 89 mg/m³ Air (BEV)	
Inhalative • <u>PNECs</u> 67-63-0 p PNEC (wa	DNEL (Langzeit-wieder DNEL (Langzeit-wiederh ropan-2-ol ässrig) 2,251 mg/l (KA) 140.9 mg/l (MW) 140.9 mg/l (SW) 140.9 mg/l (WAS	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) 500 mg/m³ Air (ARB) 89 mg/m³ Air (BEV)	
Inhalative • <u>PNECs</u> 67-63-0 p PNEC (wa	DNEL (Langzeit-wieder DNEL (Langzeit-wiederh ropan-2-ol ässrig) 2,251 mg/l (KA) 140.9 mg/l (MW) 140.9 mg/l (SW) 140.9 mg/l (WAS 28 mg/kg Trocker	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) 500 mg/m³ Air (ARB) 89 mg/m³ Air (BEV)	
Inhalative • <u>PNECs</u> 67-63-0 p PNEC (wathing the second seco	DNEL (Langzeit-wieder DNEL (Langzeit-wieder ropan-2-ol ässrig) 2,251 mg/l (KA) 140.9 mg/l (MW) 140.9 mg/l (SW) 140.9 mg/l (WAS 28 mg/kg Trocker 552 mg/kg Trocker	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) 500 mg/m³ Air (ARB) 89 mg/m³ Air (BEV)	sis.
Inhalative • <u>PNECs</u> 67-63-0 p PNEC (was been determined on the second on the	DNEL (Langzeit-wieder DNEL (Langzeit-wieder ropan-2-ol ässrig) 2,251 mg/l (KA) 140.9 mg/l (MW) 140.9 mg/l (SW) 140.9 mg/l (WAS) 28 mg/kg Trocker 552 mg/kg Trocker 552 mg/kg Trocker	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) 500 mg/m³ Air (ARB) 89 mg/m³ Air (BEV)) ngew (BO) engew (MWS) engew (SWS)	sis.
Inhalative • <u>PNECs</u> 67-63-0 p PNEC (was PNEC (feature) • <u>Additional</u> • <u>8.2 Expos</u> • Appropria	DNEL (Langzeit-wieder DNEL (Langzeit-wieder ropan-2-ol ässrig) 2,251 mg/l (KA) 140.9 mg/l (MW) 140.9 mg/l (SW) 140.9 mg/l (WAS) 28 mg/kg Trocker 552 mg/kg Trocker 552 mg/kg Trocker 552 mg/kg Trocker 552 mg/kg Trocker 552 mg/kg Trocker 552 mg/kg Trocker	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) 500 mg/m³ Air (ARB) 89 mg/m³ Air (BEV)) ngew (BO) engew (MWS) engew (SWS) The lists valid during the making were used as bas No further data; see item 7.	sis.
Inhalative • <u>PNECs</u> 67-63-0 p PNEC (was PNEC (feature) • <u>Additional</u> • <u>8.2 Expos</u> • <u>Appropria</u> • Individual	DNEL (Langzeit-wieder DNEL (Langzeit-wieder ropan-2-ol ässrig) 2,251 mg/l (KA) 140.9 mg/l (MW) 140.9 mg/l (SW) 140.9 mg/l (WAS) st) 28 mg/kg Trocker 552 mg/	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) 500 mg/m³ Air (ARB) 89 mg/m³ Air (BEV)) ngew (BO) engew (MWS) engew (SWS) The lists valid during the making were used as bas	sis.
Inhalative • <u>PNECs</u> 67-63-0 p PNEC (was PNEC (feature) • <u>Additional</u> • <u>8.2 Expos</u> • <u>Appropria</u> • Individual	DNEL (Langzeit-wieder DNEL (Langzeit-wieder DNEL (Langzeit-wieder 2,251 mg/l (KA) 140.9 mg/l (KA) 140.9 mg/l (MW) 140.9 mg/l (WAS) 28 mg/kg Trocker 552 mg/kg Trocker	holt) 888 mg/kg bw/day (ARB) 319 mg/kg bw/day (BEV) 500 mg/m³ Air (ARB) 89 mg/m³ Air (BEV)) ngew (BO) engew (MWS) engew (SWS) The lists valid during the making were used as bas No further data; see item 7.	sis.



Revision: 29.08.2022

Printing date 29.08.2022

Safety data sheet

according to 1907/2006/EC, Article 31 Version number 4 (replaces version 3)

Trade name: Quartz Clean & Care (Contd. of page 3) Use skin protection cream for skin protection. Clean skin thoroughly immediately after handling the product. · Respiratory protection: Not necessary if room is well-ventilated. Preventive skin protection by use of skin-protecting agents is recommended. Hand protection After use of gloves apply skin-cleaning agents and skin cosmetics. Skin protection agent recommendation for preventive skin shelter without use of protective gloves: STOKODERM(http://www.stoko.com) Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves: STOKO EMULSION (http://www.stoko.com) Skin protection recommendation for skin cleaning after product handling: FRAPANTOL (http://www.stoko.com) Skin protection agent recommendation for skin aftercare: STOKO VITAN (http://www.stoko.com) The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL GmbH in compliance with EN374. This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: http://www.kcl.de). The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves Fluorocarbon rubber (Viton) Butyl rubber, BR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. · Penetration time of glove material Value for the permeation: Level \leq 6, 480 min The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · For the permanent contact gloves made of the following materials are suitable: Fluorocarbon rubber (Viton) Vitoject (KCL, Art No. 890) Butyl rubber, BR Butoject (KCL, Art No. 897, 898) As protection from splashes gloves made of the following materials are Fluorocarbon rubber (Viton) suitable: Vitoject (KCL, Art No. 890) Butyl rubber, BR Butoject (KCL, Art No. 897, 898) Nitrile rubber, NBR Camatril (KCL, 730, 731, 732, 733) (Contd. on page 5) FU



Page 5/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

Trade name: Quartz Clean & Care

(Contd. of page 4)

· Not suitable are gloves made of	
the following materials:	Leather gloves
	Strong material gloves
 Eye/face protection 	Goggles recommended during refilling
· Body protection:	Apron

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemica	l properties
· <u>General Information</u> · <u>Colour:</u>	Light yellow
· Odour:	Characteristic
 Melting point/freezing point: 	Undetermined.
 Boiling point or initial boiling point and boiling rang 	<u>e</u> 82 °C
 Lower and upper explosion limit 	
· Lower:	2 Vol %
· Upper:	12 Vol %
· Flash point:	>55 °C
· Ignition temperature:	425 °C
· <u>pH at 20 °C</u>	7
· <u>Viscosity:</u>	
Kinematic viscosity at 20 °C	11 s (DIN 53211/4)
· <u>Dynamic:</u>	Not determined.
· Solubility	
· water:	Fully miscible.
· Vapour pressure at 20 °C:	43 ĥPa
Density and/or relative density	0.00
· Density at 20 °C:	0.99 g/cm ³
<u>9.2 Other information</u>	
· Appearance:	
· <u>Form:</u>	Fluid
 Important information on protection of health an 	<u>d</u>
environment, and on safety.	
 Auto-ignition temperature: 	Product is not selfigniting.
 Explosive properties: 	Product does not present an explosion hazard.
· Solvent content:	
· Organic solvents:	10.0 %
· Water:	85.7 %
· Information with regard to physical hazard classes	
· Explosives	
Void	
· Flammable gases	
Void	
· <u>Aerosols</u>	
Void	
· <u>Oxidising gases</u>	
Void	
· <u>Gases under pressure</u>	
Void	
L	(Contd. on page 6)
	EU



FU

Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

Trade name: Quartz Clean & Care

		(Contd. of page 5)
· Flammable liquids		
· <u>Flammable solids</u>	Void	
· <u>Self-reactive substances and r</u>	Void nixtures	
· Pyrophoric liquids	Void	
· <u>Pyrophoric solids</u>	Void	
· Self-heating substances and n	Void <u>nixtures</u>	
 Substances and mixtures, where gases in contact with water 	Void nich emit flammable	
· <u>Oxidising liquids</u>	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· <u>Corrosive to metals</u>	Void	
· Desensitised explosives	Void	
	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity	No further relevant information available.	
10.2 Chemical stability		
 Thermal decomposition / 		
conditions to be avoided:	No decomposition if used according to specifications.	
 <u>10.3 Possibility of hazardous</u> 		
reactions	No dangerous reactions known.	
 10.4 Conditions to avoid 	No further relevant information available.	
10.5 Incompatible materials:	No further relevant information available.	
10.6 Hazardous decomposition		
products:	No dangerous decomposition products known.	
		(Contd. on page 7)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

Trade name: Quartz Clean & Care

(Contd. of page 6)

SECTION 11: Toxicological information

		ard class	es as defined in Regulation (EC) No 1272/2008 Based on available data, the classification criteria are not met.	
<u>Acute toxicity</u> Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:				
-	ropan-2-ol	01 0183311		
Oral	LD50	>2 000 r	ng/kg (rabbit)	
••••			g/kg (rat) (OECD 401)	
	NOAEL-Werte			
Dermal	LD50	-	ng/kg (rabbit) (OECD 402)	
Inhalative		47.5 ppr		
	LC50/4 h	>25 mg/		
	LC50	Ŭ,	ng/m3 (rat)	
	LC50/48h		η/Ι (Leuciscus idus)	
2682-20-4	2-methyl-2H-is	sothiazol	-3-one	
Oral	LD50	120 mg/		
Dermal	LD50	242 mg/	kg (rat)	
Inhalative	LC50/4 h	0.11 mg	/I (rat)	
	sion/irritation		Based on available data, the classification criteria are not met.	
	/e damage/irritat		Causes serious eye irritation.	
	• <u>Respiratory or skin sensitisation</u> Based on available data, the classification criteria are not met.			
	• Germ cell mutagenicity Based on available data, the classification criteria are not met.			
	<u>Carcinogenicity</u> Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.			
	 <u>Reproductive toxicity</u> <u>STOT-single exposure</u> Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. 			
	eated exposure		Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.	
· Aspiration			Based on available data, the classification criteria are not met.	
	mation on othe	er hazard		
· Endocrine	disrupting prop	erties		
118-58-1	benzyl salicylate	9		List II

SECTION 12: Ecological information

· 12.1 Toxicity

· <u>Aquatic toxicity:</u>			
67-63-0 prop	67-63-0 propan-2-ol		
EC50/24h	9,714 mg/l (daphnia magna)		
EC50	>1,000 mg/l (BES)		
LC50/24h	9,714 mg/l (daphnia magna)		
EC50/15min	22,000 mg/l (Photobac. phosphoreum)		
IC50/72h	>1,000 mg/l (Desmodesmus subspicatus)		
EC10/18h	5,175 mg/l (pseudomonas putida) (DIN 38412)		
EC50/48h	13,299 mg/l (daphnia magna)		
EC50/72h	>1,000 mg/l (green alge)		
	>100 mg/l (Scenedesmus subspicatus)		
LC50/96h	6,550 mg/l (piscis)		
	9,640 mg/l (Pimephales promelas)		
	(Contd. on page 8)		



Page 8/10

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 4 (replaces version 3)

Revision: 29.08.2022

Trade name: Quartz Clean & Care

Printing date 29.08.2022

		(Contd. of page 7)
2682-20-4 2	-methyl-2H-isothiazo	l-3-one
EC50	34.6 mg/l (BES) (DIN	38412-3)
EC50/48h	0.93-1.9 mg/l (daphn	ia magna)
ErC50/72h	0.1 mg/l (Skeletonem	na costatum (Kieselalge))
EC50/16h	2.3 mg/l (pseudomon	as putida)
EC20/3h	2.8 mg/l (BES) (DIN 3	38412-3)
NOEC/21d	0.04 mg/l (daphnia m	agna)
EC50/72h	0.157 mg/l (Pseudok	irchneriella subcapitata)
LC50/96h	4.77-6 mg/l (rainbow	trout)
· 12.2 Persist	ence and	
degradabili	ty	No further relevant information available.
· 12.3 Bioacc	umulative potential	No further relevant information available.
· 12.4 Mobilit		No further relevant information available.
· 12.5 Result	s of PBT and vPvB as	sessment
· PBT:		Not applicable.
· vPvB:		Not applicable.
· <u>12.6 Endoc</u>	rine disrupting	
properties		For information on endocrine disrupting properties see section 11.
[.] <u>12.7 Other a</u>	12.7 Other adverse effects	
	cological information:	
 General note 	es:	Do not allow undiluted product or large quantities of it to reach ground water,
		water course or sewage system.
		Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

13.1 Waste treatment methods

 Recommendation 		Smaller quantities can be disposed of with household waste.
· European	waste catalogue	
08 00 00		MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS S AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)	
08 04 15*	aqueous liquid waste containing adhesives or sealants containing organic solvents or other hazardous substances	
· Uncleaned · Recomme	d packaging: endation:	Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

• <u>Recommended cleansing agents:</u> Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
 <u>14.2 UN proper shipping name</u> <u>ADR, ADN, IMDG, IATA</u> 	Void	
 <u>14.3 Transport hazard class(es)</u> 		
· <u>ADR, ADN, IMDG, IATA</u> · <u>Class</u>	Void	
		(Contd. on page 9)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

Trade name: Quartz Clean & Care

	(Contd. of page 8)
· <u>14.4 Packing group</u> · <u>ADR, IMDG, IATA</u>	Void
 <u>14.5 Environmental hazards:</u> Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk acc	
instruments	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void
SECTION 15: Regulatory information • <u>15.1 Safety, health and environmer</u> • Directive 2012/18/EU	on ntal regulations/legislation specific for the substance or mixture
 Named dangerous substances - ANNEX I REGULATION (EC) No 1907/2006 ANNEX XVII 	lone of the ingredients is listed. Conditions of restriction: 3
equipment – Annex II	ction of the use of certain hazardous substances in electrical and electronic
None of the ingredients is listed. · REGULATION (EU) 2019/1148	
	S PRECURSORS (Upper limit value for the purpose of licensing under Article
None of the ingredients is listed.	
· Annex II - REPORTABLE EXPLOSIV	ES PRECURSORS
None of the ingredients is listed.	
· Regulation (EC) No 273/2004 on drug	g precursors
None of the ingredients is listed.	
Regulation (EC) No 111/2005 laying c countries in drug precursors	down rules for the monitoring of trade between the Community and third
None of the ingredients is listed.	
· National regulations:	
	Vater hazard class 1 (Self-assessment): slightly hazardous for water.
Substances of very high concern (SV	HC) according to REACH, Article 57
None of the ingredients is listed.	07.0
· <u>VOC EU</u> 1 · 15.2 Chemical safety	07.3 g/l
	Chemical Safety Assessment has not been carried out.
product features and shall not establis	sent knowledge. However, this shall not constitute a guarantee for any specific sh a legally valid contractual relationship.
Department issuing SDS:	aboratory

 Department issuing SDS: 	Laboratory
· Date of previous version:	24.08.2022
· Version number of previous	
version:	3



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 29.08.2022

Version number 4 (replaces version 3)

Revision: 29.08.2022

Trade name: Quartz Clean & Care

	(Contd. of page
Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandises dangereuses par chemin
	fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses par route (Europea
	Agreement Concerning the International Carriage of Dangerous Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (REACH)
	PNEC: Predicted No-Effect Concentration (REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	SVHC: Substances of Very High Concern
	vPvB: very Persistent and very Bioaccumulative
	Flam. Liq. 2: Flammable liquids – Category 2
	Acute Tox. 3: Acute toxicity – Category 3
	Acute Tox. 2: Acute toxicity – Category 2
	Skin Corr. 1B: Skin corrosion/irritation – Category 1B
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
	Skin Sens. 1A: Skin sensitisation – Category 1A
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1